

DAFTAR PUSTAKA

- Apsari, P. D., & Susanti, H. (2011, June). Perbandingan Kadar Fenolik Total Ekstrak Metanol Kelopak Merah dan Ungu Bunga Rosella (*Hibiscus sabdariffa* Linn) secara Spektrofotometri. In *Prosiding Seminar Nasional Home Care* (pp. 73-77).
- Babarinde, G. O., Babarinde, S. A., Adegbola, D. O., & Ajayeoba, S. I. (2011). Effects of harvesting methods on physicochemical and microbial qualities of honey. *Journal of food science and technology*, 48(5), 628-634. Badan Standarisasi Indonesia (1994), *Syarat Mutu Madu*. SNI 01-3545-2013. Jakarta: Badan Standar Nasional
- Buba, F., Gidado, A., & Shugaba, A. (2013). Analysis of biochemical composition of honey samples from North-East Nigeria. *Biochem Anal Biochem*, 2(3), 139.-7.
- Chua, L. S., Rahaman, N. L A., Adnan, N. A., & Eddie Tan, T. T. (2013). Antioxidant activity of three honey samples in relation with their biochemical components. *Journal of analytical methods in chemistry*, 2013..
- CO, E., MA, I., KC, E., & JO, O. (2013). Determination of the physico-chemical composition, microbial quality and free radical scavenging activities of some commercially sold honey samples in Aba, Nigeria: 'The effect of varying colors'. *Nutrition & Food Sciences*.
- Ferreira, I. C., Aires, E., Barreira, J. C., & Estevinho, L. M. (2009). Antioxidant activity of Portuguese honey samples: Different contributions of the entire honey and phenolic extract. *Food Chemistry*, 114(4), 1438-1443. Fessenden, Fessenden, 1982. *Kimia Organik*. Jakarta: Erlangga.
- Frindryani, L. F., & Atun, S. A. S. (2016). Isolasi dan uji aktivitas antioksidan senyawa dalam ekstrak etanol temu kunci dengan metode dpph. *Jurnal Kimia Dasar*, 5(6). Gheavani Legowo, *Manfaat madu sebagai antioksidan dalam melawan radikal bebas dari asap rokok untuk menjaga kualitas sperma*, Fakultas Kedokteran Lampung, 2015.
- Gheldorf, N., & Engeseth, N. J. (2002). Antioxidant capacity of honeys from various floral sources based on the determination of oxygen radical absorbance capacity and inhibition of in vitro lipoprotein oxidation in human serum samples. *Journal of agricultural and food chemistry*, 50(10), 3050-3055.
- Gil, M. I., Tomás-Barberán, F. A., Hess-Pierce, B., & Kader, A. A. (2002). Antioxidant capacities, phenolic compounds, carotenoids, and vitamin C contents of nectarine, peach, and plum cultivars from California. *Journal of*

- Agricultural and Food Chemistry*, 50(17), 4976-4982. Harborne, J. B. 1987. *Metode Fotokimia (Penuntun Cara Modern Menganalisis Tumbuhan)*, a.b.K. Padmawinata dan Iwang Dusiro, edisi ke-2, Jakarta.
- Hess, D. (1970). Plant Physiology: Molecular, Biochemical, and Physiological Fundamentals of Metabolism and Development.
- Hussein, S. Z., Yusoff, K. M., Makpol, S., & Yusof, Y. A. M. (2011). Antioxidant capacities and total phenolic contents increase with gamma irradiation in two types of Malaysian honey. *Molecules*, 16(8), 6378-6395..
- Idris, N. A. (2017). *Uji Aktivitas Antioksidan Ekstrak Sarang Lebah dan Madu Hutan dari Luwu Utara dengan Metode DPPH (1, 1-difenil-2-pikrilhidrazil)* (Doctoral dissertation, Universitas Islam Negeri Alauddin Makassar). Ilyas, Asriani. 2013. *Kimia Organik Bahan Alam*. Makassar: Alauddin-press.
- Juniarti Departemen Biokimia, F. K. (2011). Analisis senyawa metabolit sekunder dari ekstrak metanol daun surian yang berpotensi sebagai antioksidan. *Makara Journal of Science*.
- Khalil, M. I., Sulaiman, S. A., & Boukraa, L. (2010). Antioxidant properties of honey and its role in preventing health disorder. *The Open Nutraceuticals Journal*, 3(1)..
- Khoddami, A., Wilkes, M. A., & Roberts, T. H. (2013). Techniques for analysis of plant phenolic compounds. *Molecules*, 18(2), 2328-2375.
- Kinoo, M. S., Mahomoodally, M. F., & Puchooa, D. (2012). Anti-microbial and physico-chemical properties of processed and raw honeys of Mauritius.
- Kolayli, S., Yildiz, O., Sahin, H., & Aliyazicioglu, R. (2013). 3 Biochemistry and. *Honey in Traditional and Modern Medicine*, 21.
- Kumar, M. R., Bose, V. S. C., Sathyabama, S., & Priyadarisini, V. B. (2011). Antimicrobial and DPPH free radical-scavenging activities of the ethanol extract of propolis collected from India. *Journal of Ecobiotechnology*.
- Kumazawa, S., Okuyama, Y., Murase, M., Ahn, M. R., Nakamura, J., & Tatefuji, T. (2012). Antioxidant activity in honeys of various floral origins: isolation and identification of antioxidants in peppermint honey. *Food Science and Technology Research*, 18(5), 679-685.
- Latifah, L. (2015). *Identifikasi golongan senyawa flavonoid dan uji aktivitas antioksidan pada ekstrak rimpang kencur Kaemferia galanga L. dengan metode dpph (1, 1-difenil-2-pikrilhidrazil)* (Doctoral dissertation, Universitas Islam Negeri Maulana Malik Ibrahim).

- Mahantesh, S. P., Gangawane, A. K., & Patil, C. S. (2012). Free radicals, antioxidants, diseases and phytomedicines in human health: Future perspectives. *World Research Journal of Medicinal & Aromatic Plants, ISSN*, 2278-9863.
- Martysiak-Żurowska, D., & Wenta, W. (2012). A comparison of ABTS and DPPH methods for assessing the total antioxidant capacity of human milk. *Acta Scientiarum Polonorum Technologia Alimentaria*, 11(1), 83-89.
- MATO, I., HUIDOBRO, J. F., SIMAL-LOZANO, J. E. S. Ú. S., & SANCHO, M. T. (2003). Significance of nonaromatic organic acids in honey. *Journal of food protection*, 66(12), 2371-2376.
- McDonald, S., Prenzler, P. D., Antolovich, M., & Robards, K. (2001). Phenolic content and antioxidant activity of olive extracts. *Food chemistry*, 73(1), 73-84.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin J. sci. technol*, 26(2), 211-219.
- Moniruzzaman, M., Khalil, M. I., Sulaiman, S. A., & Gan, S. H. (2013). Physicochemical and antioxidant properties of Malaysian honeys produced by Apis cerana, Apis dorsata and Apis mellifera. *BMC Complementary and Alternative Medicine*, 13(1), 43.
- Mulu, A., Tessema, B., & Derbie, F. (2004). In vitro assessment of the antimicrobial potential of honey on common human pathogens. *The Ethiopian Journal of Health Development (EJHD)*, 18(2).
- Muslim, T. 2014. *Sebaran dan Karakteristik Persarangan Apis dorsata Binghami*, Prosiding Seminar KSDA: 67-78.
- Nadhilla, N. F. (2014). The activity of antibacterial agent of honey against *Staphylococcus aureus*. *Jurnal Majority*, 3(7).
- Nayik, G. A., & Nanda, V. (2015). Physico-chemical, enzymatic, mineral and colour characterization of three different varieties of honeys from Kashmir valley of India with a multivariate approach. *Polish Journal of Food and Nutrition Sciences*, 65(2), 101-108.
- Parwata, I. M. O. A., Ratnayani, K., & Listya, A. (2010). Aktivitas antiradikal bebas serta kadar beta karoten pada madu randu (*Ceiba pentandra*) dan madu kelengkeng (*Nephelium longata L.*). *Jurnal Kimia*, 4(1), 54-62.
- Pontis, J. A., Costa, L. A. M. A. D., Silva, S. J. R. D., & Flach, A. (2014). Color, phenolic and flavonoid content, and antioxidant activity of honey from Roraima, Brazil. *Food Science and Technology*, 34(1), 69-73.

- Pratimasari, D. (2009). *Uji Aktivitas Penangkap Radikal Buah Carica papaya L. Dengan Metode DPPH dan Penetapan Kadar Fenolik Serta Flavonoid Totalnya* (Doctoral dissertation, Univerversitas Muhammadiyah Surakarta).
- Putra, H. S., Astuti, W., & Kartika, R. (2018). ACTIVITIES OF AMYLASE, PROTEASE and LIPASE FROM HONEY Trigona sp, Apis mellifera and Apis dorsata. *JURNAL KIMIA MULAWARMAN*, 16(1), 27-31.
- Putri, T. U., Firdaus, M. L., & Sundaryono, A. (2014). *Uji Aktivitas Antioksidan Ekstrak Daun Bayur Elang (Pterospermum diversifolium) dengan Metode DPPH (1, 1-diphenyl-2-picrylhydrazyl) dan Identifikasi Metabolit Sekunder pada Fraksi Aktif* (Doctoral dissertation, Universitas Bengkulu).
- Raman, R. K., Santhalakshmy, S., John, S., Bosco, D., & Ganguly, S. (2020). Phytochemical properties of spray dried jambu juice powder as affected by encapsulating agents. *Journal of Pharmacognosy and Phytochemistry*, 9(3), 599-602.
- Ratnayani, K., Laksmiati, M. A. A. I., & Septian, I. (2012). Kadar total senyawa fenolat pada madu randu dan madu kelengkeng serta uji aktivitas antiradikal bebas dengan metode DPPH (Difenilpikril Hidrazil). *Jurnal Kimia*, 6(2), 163-168.
- Redha, A. (2013). Flavonoid: struktur, sifat antioksidatif dan perannya dalam sistem biologis.
- Rohdiana, D. (2001). Aktivitas daya tangkap radikal polifenol dalam daun teh. *Majalah Jurnal Indonesia*, 12(1), 53-58.
- Rohman, A., Riyanto, S., & Hidayati, N. K. (2007). Aktivitas antioksidan, kandungan fenolik Total, dan flavonoid total daun mengkudu (Morinda citrifolia L.). *Agritech*, 27(4). Ardiansyah. 2011. *Antioksidan dan Perannya bagi Kesehatan*. Artikel Iptek. 12 Oktober 2011.
- Sadikin, M. (2008). Radikal Bebas Harus Dikendalikan. *Media Indonesia*, 27..
- Sarwono, B. (2001). Kiat Mengatasi Permasalahan Praktis Lebah Madu. *Agro Media Pustaka*, Tanggerang.
- Shofia, V., & Mahdi, C. (2013). Studi pemberian ekstrak rumput laut coklat (*Sargassum prismaticum*) terhadap kadar malondialdehid dan gambaran histologi jaringan ginjal pada tikus (*Rattus norvegicus*) diabetes melitus tipe 1. *Jurnal Ilmu Kimia Universitas Brawijaya*, 1(1), pp-119.
- Siregar, H. C., Fuah, A. M., & Octavianty, Y. (2011). *Propolis; madu multikhasiat*. Penebar Swadaya Grup.

- Sofia, D. (2005). Antioksidan dan radikal bebas. *Majalah Acid FMIPA Universitas Lampung. Edisi III/Tahun V.*
- Sompong, R., Siebenhandl-Ehn, S., Linsberger-Martin, G., & Berghofer, E. (2011). Physicochemical and antioxidative properties of red and black rice varieties from Thailand, China and Sri Lanka. *Food chemistry*, 124(1), 132-140.
- Sumarlin, L. O., Muawanah, A., & Wardhani, P. Masitoh. 2014. Aktivitas antikanker dan antioksidan madu di pasaran lokal indonesia. *Jurnal Ilmu Pertanian Indonesia*, 19(3), 136-144.
- Suranto, A. (2007). Terapi Madu. Jakarta: Penebar Swadaya. Hal 30-36.
- Syaifuddin, S. (2015). *Uji aktivitas antioksidan bayam merah (alternanthera amoena voss.) segar dan rebus dengan metode DPPH* (Doctoral dissertation, UIN Walisongo).
- Thoudam, Bhaigyabati, et al. "Phytochemical constituents and antioxidant activity of various extracts of corn silk (*Zea mays L.*)."*Research Journal of Pharmaceutical, Biological and Chemical Sciences* 2.4 (2011): 986-993.Bogdanov,S. 2009. *Physical properties of honey*. Dalam : Book of Honey, Chapter 4, Bee product Science .www.bee-hexagon.net.
- Trevor, R. (1995). Kandungan Organik Tumbuhan Tinggi. *ITB Bandung*.
- Yuliana, R., SUTARININGSIH, E., SANTOSO, H. B., & RIENDRASARI, S. D. (2015). Daya Antimikroba Sarang Lebah Madu *Trigona* spp terhadap Mikrobia Patogen. *Bioedukasi: Jurnal Pendidikan Biologi*, 8(1), 67-72.