

INTISARI

HUBUNGAN PSIKOSOSIAL DENGAN PERILAKU MEROKOK PADA REMAJA DI DUSUN MOJOREJO DESA MOJOREJO KECAMATAN KARANGMALANG KABUPATEN SRAGEN

Ayat Setiawan¹⁾, Dhani Setya Arumawati²⁾, Ahmad Syamsul Bahri³⁾

Latar belakang : Merokok merupakan salah satu dari sekian banyaknya masalah kesehatan masyarakat karena dapat menimbulkan berbagai penyakit bahkan kematian. Pada masa remaja, ada sesuatu yang lain yang sama pentingnya dengan kedewasaan, yakni solidaritas kelompok, dan melakukan apa yang dilakukan oleh kelompok. Apabila dalam suatu kelompok remaja telah melakukan kegiatan merokok maka individu remaja merasa harus melakukannya juga.

Tujuan : Untuk mengetahui hubungan psikososial dengan perilaku merokok pada remaja.

Metode penelitian : Penelitian ini dilakukan di Dusun Mojorejo Desa Mojorejo Kecamatan Karangmalang Kabupaten Sragen dengan rancangan potong lintang (*cross sectional*), jumlah sampel sebanyak 30 responden. Instrumen yang digunakan untuk mengetahui psikososial adalah kuesioner yang terdiri dari 33 pertanyaan dan kuesioner perilaku merokok, pada analisa data menggunakan uji statistik *Chi Square Test*.

Hasil Penelitian : 1) Psikososial sebagian adalah sedang sebanyak 21 responden (70,0%). ; 2) Perilaku merokok sebagian besar adalah tidak merokok sebanyak 19 responden (63,3%). ; 3) Hasil analisis *Chi Square* diketahui ada hubungan psikososial dengan perilaku merokok dengan $X^2 = 13,286$ nilai $p = 0,010$.

Simpulan : Ada hubungan hubungan psikososial dengan perilaku merokok pada remaja.

Kata kunci : Psikososial, Perilaku Merokok, Remaja

Keterangan :

1) Mahasiswa Program Studi Ilmu Keperawatan Universitas Sahid Surakarta

2) Dosen Program Studi Ilmu Keperawatan Universitas Sahid Surakarta

3) Dosen Program Studi Ilmu Keperawatan Universitas Sahid Surakarta

ABSTRACT

THE CORRELATION OF PSYCHOSOCIAL TOWARD SMOKING BEHAVIOR ON TEENAGER IN MOJOREJO KARANGMALANG SUB DISTRICT OF SRAGEN

Ayat Setiawan ¹⁾, Dhani Setya Arumawati ²⁾, Ahmad Syamsul Bahri ³⁾

Background: Smoking is one of public health problem since it can cause a variety of illnesses and death. In adolescent period, there is another important things that is equal to maturity, namely solidarity groups and doing what was done by the group. If in a group of teenager had had smoking activity so that an individual is demand to do so.

Objective: To determine the correlation of psychosocial toward smoking behavior in teenager.

Methods: The study was conducted in Mojorejo Karangmakang sub district of Sragen with cross-sectional design. The number of samples are 30 respondent. The instrument used in determining the psychosocial is questionnaire consists of 33 questions and smoking behavior questionnaires. The data analysis used statistical test of Chi Square Test.

Results: 1) Psychosocial is categorized as intermediate with 21 respondents (70.0%). ; 2) Smoking behavior indicates that respondent does not belong to smoker with 19 respondents (63.3%). ; 3) The results of Chi Square analysis shows that the correlation of psychosocial toward smoking behavior with $X^2 = 13.286$ value $p = 0.010$.

Conclusion: There is a correlation of psychosocial toward smoking behavior in teenager.

Keywords: Psychosocial, Smoking Behavioral, Teenager

Notes :

- 1) Student of Nursing Science Program Sahid Surakarta University
- 2) Lecturer of Student of Nursing Science Program Sahid Surakarta University
- 3) Lecturer of Student of Nursing Science Program Sahid Surakarta University