

INTISARI

HUBUNGAN TINGKAT PENGETAHUAN TENTANG *OPEN DEFECATION FREE* DENGAN PERILAKU STOP BUANG AIR BESAR SEMBARANGAN DI POSYANDU LANSIA DESA NGUNENG KECAMATAN PUHPELEM

Sartini¹⁾, Fitri Budi A²⁾, Ahmad Syamsul Bahri³⁾

Latar Belakang: Perilaku hidup bersih dan sehat merupakan salah satu pilar utama dalam Indonesia Sehat dan merupakan salah satu strategi untuk mengurangi beban negara dan masyarakat terhadap pembiayaan kesehatan. Tahun 2011 di Wonogiri tercatat 20,5 % masih BABS, tahun 2012, 12 % masyarakatnya masih BABS, sedangkan tahun 2013 angka BABS di Wonogiri turun menjadi 7,9 % dari penduduk yang ada.

Tujuan: Tujuan umum dari penelitian ini adalah untuk mengetahui hubungan pengetahuan tentang bebas buang air besar sembarangan/ *ODF* dengan perilaku Stop BABS

Metode: Teknik sampling pada penelitian ini menggunakan teknik purposive random sampling, yaitu suatu teknik pengambilan sampel yang didasarkan pada suatu pertimbangan tertentu yang dibuat peneliti sendiri, berdasarkan ciri atau sifat-sifat populasi yang sudah diketahui sebelumnya. Setelah itu sampel diambil secara random atau acak.

Hasil Penelitian: Hasil analisa menunjukkan bahwa pengetahuan responden tentang *Open Defecation Free* yaitu responden dengan pengetahuan cukup sebesar 89,4 %, rendah sebesar 6,1% dan tinggi sebesar 4,6 %. Berdasarkan hasil penelitian yang dilakukan terkait dengan penggunaan jamban, bahwa terdapat hubungan yang bermakna pengetahuan (tentang jamban) dengan perilaku keluarga dalam penggunaan jamban

Simpulan: Berdasarkan hasil analisis yang dilakukan dan pembahasan yang telah dikemukakan, dapat diambil kesimpulan :(1) Pengetahuan tentang *Open Defecation Free* masyarakat Desa Nguneng Kecamatan Puhpelem : tingkat pengetahuan tentang *Open Defecation Free* cukup sebesar 89,4 %, rendah sebesar 6,1% dan tinggi sebesar 4,6 %. (2) Perilaku Stop Buang air Besar Sembarangan masyarakat Desa Nguneng Kecamatan Puhpelem dengan perilaku Stop Buang air Besar Sembarangan tinggi sebesar 70,0 %, cukup sebesar 23,1 %, dan rendah sebesar 6,4 %. (3) Ada

hubungan yang bermakna tingkat pengetahuan tentang *Open Defecation Free* dengan perilaku Stop Buang air Besar Sembarangan

Kata Kunci: Pengetahuan *Open Defecation Free*, Perilaku Stop Buang Besar Sembarangan

- 1). Mahasiswa Program Studi Ilmu Keperawatan Universitas Sahid Surakarta
- 2). Dosen Program Studi Ilmu Keperawatan Universitas Sahid Surakarta
- 3). Dosen Program Studi Ilmu Keperawatan Universitas Sahid Surakarta

ABSTRACT

THE CORELATION OF LEVEL KNOWLEDGE ABOUT OPEN DEFECATION FREE WITH BEHAVIOUR OF STOP OPEN DEFECATION IN INTEGRATED HEALTH SERVIS STATION FOR ELDERLY NGUNENG VILLAGE PUHPELEM SUB-DISTRICT

Sartini¹⁾, Fitri Budi A²⁾, Ahmad Syamsul Bahri³⁾

Background : *The clean and healthy lifestyle is one of the main pillars in healthy Indonesia and which one of strategy to reduce the burden on the state and society towards health financing . There is 20,5% of population in Wonogiri still Open Defecatin in 2011, and 12% in 2012. Whereas in 2013 the figureb dropped to 7,9%from the all of populations.*

Goal of the research : *The general purpose of this study was to determine the corelation of the level of Knowledge about Open Defecation Free (ODF) with behavior to stop open defecation.*

Method of research: *The sampling techniques in this study using purposive samplingwhich one using a sampling technique based on a consideration of certain researchers are made under its own characteristics of population that have previously known then taken by random sample..*

The result of the research : *The results analysis indicates that knowledge of respondents with respondent of ODF enough knowledge of 89.4 % , low 6.1 % and high 4.6 % baso on the results of research had been done there are meaningfull corelation about to use of toilet , and knowledge of toilet with family behavior in use toilet .*

Conclusion : *Based on the results analysis performed and have expressed discussion, conclusion can be taken :(1) knowledge of ODF people in Nguneng village puhpelem sub district : knowledge level of enough ODF 89.4 % , 6.1 % of low and high of 4.6 % . (2). Behavior to stop defecation nguneng village puhpelem district behavior with ODF carelessly enough7 0,0%,and low 23,1% of low 6,4% there were meaningfull correlation behavior defecation stop any villagers ngneng puhpelem subdistrict high of 70 % , enough for 23 % and a low*

of 6.4 % (3). There are significant behavioral relationship level of knowledge about the behavior of open defecation free to stop open defecation anywhere.

Key words: Knowledge, open defecation free ,the behavior to stop open defecation free

- 1).Student of nurse knowledge study program sahid university Surakarta*
- 2). Lecture of nurse knowledge study program sahid university Surakarta*
- 3). Lecture of nurse knowledge study program sahid university Surakarta*